














































































ЗАЯВКА ЗА АРМИРОВКА № 3								Дата поръчка:
ОБЕКТ:								Дата доставка:
КЛАС B500b								2,647.22 kg
№	Pos. on the drawing	ELEMENT / Short description	Pcs.	N	Length /m/	Pos. configuration	kg/m'	TOTAL
			Total for the element					2,647.22 kg
1	долна	Г-Гр.1 - 50/25	3 Pcs.	N 16	L=8.60 m	право с една кука 45см 	1.580 kg/m'	40.764 kg
2	горна	Г-Гр.1 - 50/25	3 Pcs.	N 18	L=9.20 m	право с една кука 75см 	2.000 kg/m'	55.200 kg
3	среда	Г-Гр.1 - 50/25	2 Pcs.	N 12	L=7.90 m	право с една кука 20см 	0.888 kg/m'	14.030 kg
4	фиби	Г-Гр.1 - 50/25	3 Pcs.	N 18	L=3.30 m		2.000 kg/m'	19.800 kg
5	поз.1	Г-Гр.1 - 50/25	43 Pcs.	N 8	L=1.50 m	стреме 44/19 	0.395 kg/m'	25.478 kg
6	ЕС	Г-Гр.1 - 50/25	22 Pcs.	N 8	L=0.45 m		0.395 kg/m'	3.911 kg
7	долна	Г-Гр.2 - 50/30	3 Pcs.	N 14	L=6.10 m	право с една кука 45см 	1.210 kg/m'	22.143 kg
8	горна	Г-Гр.2 - 50/30	3 Pcs.	N 14	L=6.25 m	право с една кука 45см 	1.210 kg/m'	22.688 kg
9	среда	Г-Гр.2 - 50/30	2 Pcs.	N 12	L=5.70 m	право с една кука 25см 	0.888 kg/m'	10.123 kg
10	поз.1	Г-Гр.2 - 50/30	32 Pcs.	N 8	L=1.80 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	22.752 kg
11	ЕС	Г-Гр.2 - 50/30	16 Pcs.	N 8	L=0.50 m		0.395 kg/m'	3.160 kg





12	долна	Г-Гр.3 - 50/30	3 Pcs.	N 16	L=6.80 m	право с една кука 45см 	1.580 kg/m'	32.232 kg
13	горна	Г-Гр.3 - 50/30	3 Pcs.	N 20	L=3.75 m	Право 	2.470 kg/m'	27.788 kg
14	горна	Г-Гр.3 - 50/30	3 Pcs.	N 16	L=4.75 m	право с една кука 75см 	1.580 kg/m'	22.515 kg
15	среда	Г-Гр.3 - 50/30	2 Pcs.	N 12	L=6.35 m	право с една кука 30см 	0.888 kg/m'	11.278 kg
16	поз.1	Г-Гр.3 - 50/30	17 Pcs.	N 8	L=1.80 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	12.087 kg
17	поз.2	Г-Гр.3 - 50/30	18 Pcs.	N 8	L=1.75 m	стреме 42/24 - дв.затворено 	0.395 kg/m'	12.443 kg
18	ЕС	Г-Гр.3 - 50/30	17 Pcs.	N 8	L=0.50 m		0.395 kg/m'	3.358 kg
19	долна	Г-Гр.4 - 50/30	3 Pcs.	N 16	L=5.10 m	право с една кука 25см 	1.580 kg/m'	24.174 kg
20	долна	Г-Гр.4 - 50/30	3 Pcs.	N 14	L=4.65 m	право с една кука 45см 	1.210 kg/m'	16.880 kg
21	долна	Г-Гр.4 - 50/30	3 Pcs.	N 12	L=2.40 m		0.888 kg/m'	6.394 kg
22	горна	Г-Гр.4 - 50/30	4 Pcs.	N 16	L=3.30 m	право с една кука 45см 	1.580 kg/m'	20.856 kg
23	горна	Г-Гр.4 - 50/30	3 Pcs.	N 14	L=2.70 m	право с една кука 65см 	1.210 kg/m'	9.801 kg
24	горна	Г-Гр.4 - 50/30	4 Pcs.	N 18	L=5.00 m	Право 	2.000 kg/m'	40.000 kg
25	среда	Г-Гр.4 - 50/30	4 Pcs.	N 14	L=4.40 m	Право 	1.210 kg/m'	21.296 kg
26	среда	Г-Гр.4 - 50/30	2 Pcs.	N 12	L=4.00 m	право с една кука 15см 	0.888 kg/m'	7.104 kg
27	поз.1	Г-Гр.4 - 50/30	39 Pcs.	N 8	L=1.80 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	27.729 kg
28	поз.2	Г-Гр.4 - 50/30	9 Pcs.	N 8	L=1.75 m	стреме 42/24 - дв.затворено 	0.395 kg/m'	6.221 kg

29	ЕС	Г-Гр.4 - 50/30	37 Pcs.	N 8	L=0.50 m		0.395 kg/m'	7.308 kg
Армировка ГРЕДИ на ниво +20,95/+21,45								
30	долна	Г-Гр.5 - 50/30	3 Pcs.	N 14	L=6.00 m	право с една кука 35см 	1.210 kg/m'	21.780 kg
31	горна	Г-Гр.5 - 50/30	3 Pcs.	N 14	L=6.25 m	право с една кука 45см 	1.210 kg/m'	22.688 kg
32	среда	Г-Гр.5 - 50/30	2 Pcs.	N 12	L=5.70 m	право с една кука 25см 	0.888 kg/m'	10.123 kg
33	поз.1	Г-Гр.5 - 50/30	32 Pcs.	N 8	L=1.80 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	22.752 kg
34	ЕС	Г-Гр.5 - 50/30	16 Pcs.	N 8	L=0.50 m		0.395 kg/m'	3.160 kg
35	долна	Г-Гр.6 - 40/35	3 Pcs.	N 16	L=4.70 m	Право 	1.580 kg/m'	22.278 kg
36	долна	Г-Гр.6 - 40/35	1 Pcs.	N 16	L=4.75 m	право с една кука 60см 	1.580 kg/m'	7.505 kg
37	горна	Г-Гр.6 - 40/35	4 Pcs.	N 14	L=4.70 m	Право 	1.210 kg/m'	22.748 kg
38	среда	Г-Гр.6 - 40/35	2 Pcs.	N 12	L=4.65 m	право с една кука 30см 	0.888 kg/m'	8.258 kg
39	фиби	Г-Гр.6 - 40/35	4 Pcs.	N 16	L=2.10 m		1.580 kg/m'	13.272 kg
40	поз.1	Г-Гр.6 - 40/35	28 Pcs.	N 8	L=1.75 m	стреме 34/29 - дв.затворено 	0.395 kg/m'	19.355 kg
41	ЕС	Г-Гр.6 - 40/35	14 Pcs.	N 8	L=0.55 m		0.395 kg/m'	3.042 kg
42	долна	Г-Гр.7 - 50/30	3 Pcs.	N 14	L=5.30 m	право с две куки по 30см 	1.210 kg/m'	19.239 kg
43	горна	Г-Гр.7 - 50/30	3 Pcs.	N 14	L=5.80 m	право с две куки по 55см 	1.210 kg/m'	21.054 kg
44	поз.1	Г-Гр.7 - 50/30	28 Pcs.	N 8	L=1.30 m	стреме 34/19 	0.395 kg/m'	14.378 kg

45	долна	Г-Гр.8 - 68/30	4 Pcs.	N 14	L=6.35 m	право с една кука 50см 	1.210 kg/m'	30.734 kg
46	долна	Г-Гр.8 - 68/30	4 Pcs.	N 16	L=7.25 m	Право 	1.580 kg/m'	45.820 kg
47	горна	Г-Гр.8 - 68/30	4 Pcs.	N 20	L=9.35 m	Право 	2.470 kg/m'	92.378 kg
48	горна	Г-Гр.8 - 68/30	4 Pcs.	N 14	L=3.95 m	право с една кука 60см 	1.210 kg/m'	19.118 kg
49	среда	Г-Гр.8 - 68/30	4 Pcs.	N 12	L=5.60 m	право с една кука 30см 	0.888 kg/m'	19.891 kg
50	среда	Г-Гр.8 - 68/30	4 Pcs.	N 12	L=6.40 m	Право 	0.888 kg/m'	22.733 kg
51	фиби	Г-Гр.8 - 68/30	4 Pcs.	N 20	L=3.65 m		2.470 kg/m'	36.062 kg
52	поз.1	Г-Гр.8 - 68/30	63 Pcs.	N 8	L=2.15 m	стреме 62/24 - дв.затворено 	0.395 kg/m'	53.503 kg
53	ЕС	Г-Гр.8 - 68/30	63 Pcs.	N 8	L=0.50 m		0.395 kg/m'	12.443 kg
54	поз.1	Г-Гр.9 - 50/30	3 Pcs.	N 16	L=6.75 m		1.580 kg/m'	31.995 kg
55	поз.2	Г-Гр.9 - 50/30	2 Pcs.	N 14	L=6.25 m		1.210 kg/m'	15.125 kg
56	поз.3a	Г-Гр.9 - 50/30	4 Pcs.	N 22	L=4.05 m		3.000 kg/m'	48.600 kg
57	поз.3б	Г-Гр.9 - 50/30	3 Pcs.	N 14	L=4.20 m	право с една кука 55см 	1.210 kg/m'	15.246 kg
58	поз.4	Г-Гр.9 - 50/30	17 Pcs.	N 8	L=1.80 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	12.087 kg
59	поз.5	Г-Гр.9 - 50/30	16 Pcs.	N 8	L=1.75 m	стреме 42/24 - дв.затворено 	0.395 kg/m'	11.060 kg
60	ЕС	Г-Гр.9 - 50/30	16 Pcs.	N 8	L=0.50 m		0.395 kg/m'	3.160 kg
61	долна	Г-Гр.10 - 70/30;120/30	4 Pcs.	N 22	L=9.35 m	Право 	3.000 kg/m'	112.200 kg

62	долна	Г-Гр.10 - 70/30;120/30	3 Pcs.	N 12	L=2.15 m		0.888 kg/m'	5.728 kg
63	горна	Г-Гр.10 - 70/30;120/30	4 Pcs.	N 25	L=6.70 m	право с една кука 60см 	3.850 kg/m'	103.180 kg
64	горна	Г-Гр.10 - 70/30;120/30	4 Pcs.	N 20	L=5.15 m	право с една кука 75см 	2.470 kg/m'	50.882 kg
65	среда	Г-Гр.10 - 70/30;120/30	2 Pcs.	N 14	L=4.00 m	право с една кука 20см 	1.210 kg/m'	9.680 kg
66	среда	Г-Гр.10 - 70/30;120/30	4 Pcs.	N 14	L=8.35 m	Право 	1.210 kg/m'	40.414 kg
67	поз.3	Г-Гр.10 - 70/30;120/30	10 Pcs.	N 20	L=2.45 m	право с една кука 20см 	2.470 kg/m'	60.515 kg
68	поз.4	Г-Гр.10 - 70/30;120/30	5 Pcs.	N 8	L=1.55 m	стреме 24/44 	0.395 kg/m'	3.061 kg
69	поз.1	Г-Гр.10 - 70/30;120/30	28 Pcs.	N 10	L=2.20 m	стреме 64/24 - дв.затворено 	0.617 kg/m'	38.007 kg
70	поз.2	Г-Гр.10 - 70/30;120/30	23 Pcs.	N 10	L=3.20 m	стреме 114/24 - дв.затворено 	0.617 kg/m'	45.411 kg
71	ЕС	Г-Гр.10 - 70/30;120/30	38 Pcs.	N 8	L=0.50 m		0.395 kg/m'	7.505 kg
72	долна	Г-Гр.11 -60/30	4 Pcs.	N 18	L=7.75 m	Право 	2.000 kg/m'	62.000 kg
73	долна	Г-Гр.11 -60/30	3 Pcs.	N 12	L=2.15 m		0.888 kg/m'	5.728 kg
74	долна	Г-Гр.11 -60/30	4 Pcs.	N 18	L=3.90 m	право с една кука 60см 	2.000 kg/m'	31.200 kg
75	горна	Г-Гр.11 -60/30	4 Pcs.	N 22	L=4.35 m	право с една кука 45см 	3.000 kg/m'	52.200 kg
76	горна	Г-Гр.11 -60/30	4 Pcs.	N 18	L=5.15 m		2.000 kg/m'	41.200 kg
77	горна	Г-Гр.11 -60/30	4 Pcs.	N 18	L=4.60 m	право с една кука 40см 	2.000 kg/m'	36.800 kg
78	среда	Г-Гр.11 -60/30	2 Pcs.	N 12	L=6.95 m	Право 	0.888 kg/m'	12.343 kg
79	среда	Г-Гр.11 -60/30	2 Pcs.	N 12	L=3.10 m	право с една кука 25см 	0.888 kg/m'	5.506 kg

80	поз.1	Г-Гр.11 -60/30	57 Pcs.	N 8	L=1.80 m	стреме 54/24 - дв.затворено 	0.395 kg/m'	40.527 kg
81	ЕС	Г-Гр.11 -60/30	29 Pcs.	N 8	L=0.50 m		0.395 kg/m'	5.728 kg
82	долна	Г-Гр.12 - 50/30	3 Pcs.	N 14	L=4.35 m	право с една кука 15см 	1.210 kg/m'	15.791 kg
83	горна	Г-Гр.12 - 50/30	3 Pcs.	N 14	L=4.60 m	право с две куки по 20см 	1.210 kg/m'	16.698 kg
84	поз.1	Г-Гр.12 - 50/30	22 Pcs.	N 8	L=1.55 m	стреме 44/24 - дв.затворено 	0.395 kg/m'	13.470 kg
85	долна	Г-Гр.13 - 60/30	3 Pcs.	N 18	L=8.95 m	право с една кука 55см 	2.000 kg/m'	53.700 kg
86	горна	Г-Гр.13 - 60/30	3 Pcs.	N 25	L=4.70 m	право с една кука 35см 	3.850 kg/m'	54.285 kg
87	горна	Г-Гр.13 - 60/30	3 Pcs.	N 16	L=5.60 m		1.580 kg/m'	26.544 kg
88	среда	Г-Гр.13 - 60/30	4 Pcs.	N 14	L=8.10 m	право с една кука 20см 	1.210 kg/m'	39.204 kg
89	поз.1	Г-Гр.13 - 60/30	50 Pcs.	N 8	L=2.00 m	стреме 54/24 - дв.затворено 	0.395 kg/m'	39.500 kg
90	ЕС	Г-Гр.13 - 60/30	50 Pcs.	N 8	L=0.50 m		0.395 kg/m'	9.875 kg
91	долна	Г-Гр.14- 60/40; 85/40	4 Pcs.	N 16	L=9.00 m	Право 	1.580 kg/m'	56.880 kg
92	долна	Г-Гр.14- 60/40; 85/40	4 Pcs.	N 18	L=5.10 m	право с една кука 35см 	2.000 kg/m'	40.800 kg
93	горна	Г-Гр.14- 60/40; 85/40	4 Pcs.	N 16	L=7.40 m	право с една кука 30см 	1.580 kg/m'	46.768 kg
94	горна	Г-Гр.14- 60/40; 85/40	4 Pcs.	N 18	L=7.05 m	право с една кука 45см 	2.000 kg/m'	56.400 kg
95	среда	Г-Гр.14- 60/40; 85/40	2 Pcs.	N 12	L=8.40 m	Право 	0.888 kg/m'	14.918 kg
96	среда	Г-Гр.14- 60/40; 85/40	4 Pcs.	N 12	L=4.30 m	Право 	0.888 kg/m'	15.274 kg

97	поз.2	Г-Гр.14- 60/40; 85/40	45 Pcs.	N 8	L=2.30 m	стреме 54/34 - дв.затворено 	0.395 kg/m'	40.883 kg
98	поз.3	Г-Гр.14- 60/40; 85/40	45 Pcs.	N 8	L=1.55 m	стреме 54/14 	0.395 kg/m'	27.551 kg
99	поз.4	Г-Гр.14- 60/40; 85/40	25 Pcs.	N 8	L=2.70 m	стреме 74/34 - дв.затворено 	0.395 kg/m'	26.663 kg
100	поз.5	Г-Гр.14- 60/40; 85/40	25 Pcs.	N 8	L=1.95 m	стреме 74/14 	0.395 kg/m'	19.256 kg
101	EC	Г-Гр.14- 60/40; 85/40	50 Pcs.	N 8	L=0.60 m		0.395 kg/m'	11.850 kg

Изготвил: инж. Лазаринка Панева
тел.: 0889061834